

EAST Search History

10/028,146

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	378	"mass mailing"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 09:26
S2	1	("20030103962").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2005/03/08 21:26
S3	1	("20030099633").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/08 23:33
S4	0	("09/973184").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/08 23:45
S5	0	("09/973810").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/08 23:45
S6	1	("20030069903").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/08 23:59
S7	0	("10/028146").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/09 00:00
S8	1	("10028146").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/09 00:00
S9	1	("20030117591").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/15 23:41
S10	1	("10028146").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/15 23:41
S11	0	("10/028146").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/15 23:41
S12	0	("(mappingadjtree)samedatabasesame(XMLadjdocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/18 10:15

EAST Search History

S13	0	("(mappingadjtree)samedatabasesame(XMLadjdocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/18 10:14
S14	0	("(mappingsametree)samedatabase same(XMLsamedocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/18 10:15
S15	0	("mappingsamedatabasesameXML") .PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/18 10:15
S16	0	mappingadjtree)samedatabasesame (XMLadjdocument	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 10:15
S17	0	mappingsametree)samedatabasesame (XMLsamedocument	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 10:15
S18	0	mappingsamedatabasesameXMLsa medocument	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 10:16
S19	227	mapping same database same XML	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:45
S20	18	mapping same database same XML same tree	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 10:47
S21	3	"20020123993" or "20020156811" or "20020078068"	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/08 20:06
S22	100043	mapping samedatabase same XML	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:45
S23	227	mapping same database same XML	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:46
S24	20	707/3.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:46
S25	5	707/101.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:47
S26	9	707/102.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:47
S27	22	707/1.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:47

EAST Search History

S28	0	XML same database same scripts same tree same (convert\$5 or transform\$5) same (data adj (request or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:29
S29	1	XML same database same scripts same tree same (convert\$5 or transform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:29
S30	0	(XML same elements same database same scripts) and tree and (convert\$5 or transform\$5) and (data adj (request or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:30
S31	7	(XML same elements same database same scripts) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:50
S32	28	(XML same elements same database same (statements or scripts)) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 20:46
S33	2	"10/257,510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:52
S34	10	((XML near2 SQL)same elements same database same (statements or scripts)) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:07
S35	38	(XML adj doc\$6) same (SQL adj statements)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:08
S36	3	(XML adj doc\$6) same (SQL adj statements) same embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:11
S37	38	(XML adj doc\$6) same (SQL adj statements)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:20

EAST Search History

S38	2	"20030093436"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:20
S39	4	"20020123993" or "20020156811" or "20020078068" or "20030191769"	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/08 20:06
S40	3	"20040073809" or ("6601066" or "6748385" or "6484149").pn.	USPAT	OR	OFF	2005/03/08 21:27
S41	4	"20040073809" or ("6601066" or "6748385" or "6484149").pn.	US-PGPUB; USPAT	OR	OFF	2005/03/08 21:33
S42	5	"20030069877" or "20010032204" or "20020059204" or "20030037077" or "6401084".pn.	US-PGPUB; USPAT	OR	OFF	2005/03/08 21:45
S43	2	"20030204524" or "20040083227" or "200200049769"	US-PGPUB; USPAT	OR	OFF	2005/03/08 21:47
S44	2	"20030204524" or "20040083227" or "200200049769"	US-PGPUB; USPAT	OR	OFF	2005/03/08 21:48
S45	21	(XML same elements same database same (statements or scripts)) and tree and transform\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 20:51
S46	6	(XML same elements same database same (statements or scripts)) and tree and transform\$6 and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 20:48
S47	8	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:01
S48	6	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801" and (conver\$6 or transform\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:02
S49	4	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801" and (conver\$6 or transform\$7) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:04

EAST Search History

S50	3	(XML same elements same database same (statements or scripts) same (SQL or request)) and tree and @ad < "20010801" and (conver\$6 or transform\$7) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:10
S51	31	(XML same elements same database same (data near2 access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:11
S52	10	(XML same elements same database same (data near2 access)) and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:11
S53	1	("20030103962").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S54	1	("20030099633").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S55	0	("09/973184").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S56	0	("09/973810").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S57	1	("20030069903").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S58	0	("10/028146").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S59	1	("10028146").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S60	1	("20030117591").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52

EAST Search History

S61	1	("10028146").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S62	0	("10/028146").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S63	0	("(mappingadjtree)samedatabasesame(XMLadjdocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S64	0	("(mappingadjtree)samedatabasesame(XMLadjdocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S65	0	("(mappingsametree)samedatabase same(XMLsamedocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S66	0	("mappingsamedatabasesameXML").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2007/05/10 10:52
S67	0	mappingadjtree)samedatabasesame(XMLadjdocument	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S68	0	mappingsametree)samedatabasesame(XMLsamedocument	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S69	0	mappingsamedatabasesameXMLsamedocument	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S70	838	mapping same database same XML	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S71	60	mapping same database same XML same tree	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S72	4	"20020123993" or "20020156811" or "20020078068"	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S73	181642	mapping samedatabase same XML	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S74	838	mapping same database same XML	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52

EAST Search History

S75	70	707/3.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S76	47	707/101.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S77	79	707/102.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S78	43	707/1.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S79	627	"mass mailing"	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S80	0	XML same database same scripts same tree same (convert\$5 or transform\$5) same (data adj (request or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S81	6	XML same database same scripts same tree same (convert\$5 or transform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S82	0	(XML same elements same database same scripts) and tree and (convert\$5 or transform\$5) and (data adj (request or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S83	18	(XML same elements same database same scripts) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S84	57	(XML same elements same database same (statements or scripts)) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S85	2	"10/257,510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52

EAST Search History

S86	14	((XML near2 SQL)same elements same database same (statements or scripts)) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S87	108	(XML adj doc\$6) same (SQL adj statements)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S88	5	(XML adj doc\$6) same (SQL adj statements) same embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S89	108	(XML adj doc\$6) same (SQL adj statements)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S90	4	"20030093436"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S91	5	"20020123993" or "20020156811" or "20020078068" or "20030191769"	US-PGPUB; USPAT; JPO	OR	OFF	2007/05/10 10:52
S92	3	"20040073809" or ("6601066" or "6748385" or "6484149").pn.	USPAT	OR	OFF	2007/05/10 10:52
S93	4	"20040073809" or ("6601066" or "6748385" or "6484149").pn.	US-PGPUB; USPAT	OR	OFF	2007/05/10 10:52
S94	7	"20030069877" or "20010032204" or "20020059204" or "20030037077" or "6401084".pn.	US-PGPUB; USPAT	OR	OFF	2007/05/10 10:52
S95	3	"20030204524" or "20040083227" or "200200049769"	US-PGPUB; USPAT	OR	OFF	2007/05/10 10:52
S96	3	"20030204524" or "20040083227" or "200200049769"	US-PGPUB; USPAT	OR	OFF	2007/05/10 10:52
S97	32	(XML same elements same database same (statements or scripts)) and tree and transform\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S98	6	(XML same elements same database same (statements or scripts)) and tree and transform\$6 and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52

EAST Search History

S99	8	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S10 0	6	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801" and (conver\$6 or transform\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S10 1	4	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801" and (conver\$6 or transform\$7) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S10 2	3	(XML same elements same database same (statements or scripts) same (SQL or request)) and tree and @ad < "20010801" and (conver\$6 or transform\$7) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S10 3	55	(XML same elements same database same (data near2 access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52
S10 4	12	(XML same elements same database same (data near2 access)) and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 10:52

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Mail](#) [more](#) ▾

[kuen_lu@hotmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

"mapping tree" "XML Document" native comm



[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 36 for "**mapping tree**" "**XML Document**" **native command language script**. (0.33 seconds)

Converter for XML document type definition to internal XML element ...

The XML source **mapping tree** is a structure which may be depicted on the left The **command language script** is obtained and transferred via path 466 to ...
www.freepatentsonline.com/7143104.html - 96k - [Cached](#) - [Similar pages](#) - [Note this](#)

Step to access native script in a legacy database management ...

The facility in accordance with the present invention permits **native script** in the **command language** of the legacy data base management system to be used in ...
www.freepatentsonline.com/7124135.html - 103k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.freepatentsonline.com](#)]

IBM Globalization - Terminology - terms M and N

For example, Content Manager index classes are **native** entities comprised of Content Manager key fields. **native language**: See local **language**. **native** launcher ...
www-306.ibm.com/software/globalization/terminology/mn.jsp - 368k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PS] University of Alberta Library Release Form Name of Author: Huaxin ...

File Format: Adobe PostScript - [View as Text](#)
inter-intra **XML document** queries. It is different from SQL **language** in that it is The difficulty of **mapping tree**-structured data into RDBMS suggests a ...
www.cs.ualberta.ca/TechReports/2001/TR01-15/TR01-15.ps.gz - [Similar pages](#) - [Note this](#)

XStreamDB Reference Guide

Document objects are managed through the XStreamDB **command language** Below is a **mapping tree** that maps all of the XStreamDB types to atomic types. ...
www.bluestream.com/xdbres/Content/website/bds/home/products/xstreamdb32/doc/reference/reference.htm - 445k - [Cached](#) - [Similar pages](#) - [Note this](#)

Sun Java Enterprise System Glossary

mapping tree (n.) A data structure that associates the names of suffixes **native** content (n.) Content written in a **native** markup **language** such as HTML ...
docs.sun.com/source/816-6873/index.html - 472k - [Cached](#) - [Similar pages](#) - [Note this](#)

Sun Java Enterprise System Glossary- [Translate this page]

In an **XML document**, text that is ignored unless the parser is Content written in a **native** markup **language** such as HTML that can be sent to a client ...
docs.sun.com/app/docs/doc/819-3875/gejfq?l=zh_tw&a=view - 460k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from docs.sun.com](#)]

[PDF] Digital Collections and the Management of Knowledge: A DigiCULT ...

File Format: PDF/Adobe Acrobat
Each underlying database has a **Mapping Tree** that is used to translate the query to the appropriate database query **language**. Architecture of the System ...
www.digicult.info/downloads/dc_emblemsbook_lowres.pdf - [Similar pages](#) - [Note this](#)

[PDF] Unstructured Information Management Architecture (UIMA) SDK User's ...

File Format: PDF/Adobe Acrobat
This is a **command**-line utility; there are shell **scripts** (.bat for Windows, document. When UIMA parses the **XML document**, it will automatically replace ...

dl.alphaworks.ibm.com/technologies/uima/UIMA_SDK_Users_Guide_Reference.pdf -

[Similar pages](#) - [Note this](#)

[PDF] Sun ONE Directory Server 5.2 Deployment Guide

File Format: PDF/Adobe Acrobat

eXtensible Markup **Language (XML) document**. DSMLv2 standardizes the way list, these DNs are also stored in the **mapping tree** entries below. cn=config ...

docs-pdf.sun.com/816-6700-10/816-6700-10.pdf - [Similar pages](#) - [Note this](#)

[1](#) [2](#) [3](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Mail](#) [more ▾](#)[kuen_lu@hotmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)[Google](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 2 of 2 for **mapping tree "native command language" script "XML Document "**. (0.61 seconds)

Tip: Try removing quotes from your search to get more results.

Step to define inputs for a service - Patent 7099877

The XML element to source **mapping tree** is a structure which may be depicted on ... For each type of **XML document** that is to be used as input to a Cool ICE ...

www.freepatentsonline.com/7099877.html - 110k - [Cached](#) - [Similar pages](#) - [Note this](#)

Step to define inputs for a service - Patent # 7099877 - PatentGenius

The method according to claim 2 wherein said **XML document** further comprises The XML element to source **mapping tree** is a structure which may be depicted ...

www.patentgenius.com/patent/7099877.html - 114k - [Cached](#) - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 2 already displayed.

If you like, you can repeat the search with the omitted results included.

Download [Google Pack](#): free essential software for your PC

 [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Mail](#) [more ▾](#)

[kuen_lu@hotmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

"mapping tree" "XML Document"

Search

[Advanced Search](#)
[Preferences](#)

[Web](#) [Books](#)

Personalized Results 1 - 100 of about 237 for "mapping tree" "XML Document ". (0.61 seconds)

Converter for XML document type definition to internal XML element ...

Converter for XML document type definition to internal XML element **mapping tree** - US

Patent 7143104 from Patent Storm. An apparatus for and method of ...

www.patentstorm.us/patents/7143104-claims.html - 20k - [Cached](#) - [Similar pages](#) - [Note this](#)

Step to define inputs for a service - US Patent 7099877

The XML element to source **mapping tree** is a structure which may be ... It is a visual structural representation of the **XML document** which is being mapped. ...

www.patentstorm.us/patents/7099877-description.html - 103k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.patentstorm.us](#)]

Converter for XML document type definition to internal XML element ...

Converter for XML document type definition to internal XML element **mapping tree**.

Document Type and Number: United States Patent 7143104. Link to this page: ...

www.freepatentsonline.com/7143104.html - 96k - [Cached](#) - [Similar pages](#) - [Note this](#)

XML output definition table for transferring internal data into ...

A user terminal which generates said service request as an **XML document**; b. The XML element to source **mapping tree** is a structure which may be ...

www.freepatentsonline.com/7158967.html - 103k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.freepatentsonline.com](#)]

Using the EntireX XML Mapping Editor

This page contains the **Mapping Tree** of the XML Request, which is linked together this value is compared with the values of the **XML document** and it is ...

documentation.softwareag.com/Crossvision/

eli/xmlMappingEditor/xmlMappingEditor_using.htm - 67k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Cover Page

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The EntireX XML Mapping Editor allows you to map **XML document** structures to IDL ...

This page contains the **Mapping Tree** of the XML Request, which is linked ...

documentation.softwareag.com/Crossvision/exx73/print/xmlMappingEditor.pdf -

[Similar pages](#) - [Note this](#)

[[More results from documentation.softwareag.com](#)]

TS Team-Software GmbH

The result is a compliant **XML document**, but without the unnecessary bloating. ... Supports XSD schemas for loading into the **mapping tree** and validation ...

www.teamsoft.de/?aktion=artikelanzeigen&artikel=6951040 - 25k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Database and Expert Systems Applications: 16th International ... - Google Books Result

by Kim Viborg. Andersen - 2005 - Computers - 955 pages

If a mapping has been found, we say that the **mapping tree** is complete. In the following, we define ... Vt a table node, vm a. **mapping tree** */ **xml-document** ...

books.google.com/books?isbn=3540285660... - [Note this](#)

Re: internationalization via XSL

Would each language mapping file >be an **XML document**? ... in XSL substituting a

http://www.google.com/search?num=100&hl=en&lr=&as_qdr=all&q=%22mapping+tree%22++%... 10/25/2007

>fragment from one tree (the language **mapping tree**) into the resulting tree ...

www.oxygenxml.com/archives/xsl-list/199901/msg00344.html - 11k -

[Cached](#) - [Similar pages](#) - [Note this](#)

internationalization via XSL

I have some questions regarding mapping an **xml document** to different ... fragment from one tree (the language **mapping tree**) into the resulting tree during a ...

www.oxygenxml.com/archives/xsl-list/199901/msg00337.html - 9k -

[Cached](#) - [Similar pages](#) - [Note this](#)

VorteXML Designer From Datawatch Simplifies XML Schema Tasks ...

Supports XSD schemas for loading into the **mapping tree** and validation; -- Allows derivation and generation of XML schema The definition of an **XML document**, ...

www.thefreelibrary.com/

VorteXML+Designer+From+Datawatch+Simplifies+XML+Schema+Tasks,+Making...-

a0114055077 - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)

VorteXML: Convert text files to XML for XML web services

Supports XSD schemas for loading into the **mapping tree** and validation ... to use the minimum amount of mappings and elements to create a valid **XML document**. ...

vortexml.datawatch.com/vortexml-new.asp - 19k - [Cached](#) - [Similar pages](#) - [Note this](#)

patents-database - Converter for XML document type definition to ...

Converter for **XML document** type definition to internal XML element **mapping tree**. United States Patent: 7143104 (307 of 122843) United States Patent ...

patents-database.org/C/307/Converter_for_XML_

document_type_definition_to_internal_XML_element_mapping_____... -

[Similar pages](#) - [Note this](#)

patents-database - XML input definition table for transforming XML ...

21, 2001, and entitled, "Converter for **XML Document** Type Definition to Internal XML Element **Mapping Tree**" is a commonly assigned co-pending application ...

patents-database.org/X/5569/XML_input_definition_

table_for_transforming_XML_data_to_internal_format.html - [Similar pages](#) - [Note this](#)

[[More results from patents-database.org](#)]

creativepro.com - QuarkXPress 6: What About XML?

The XML template, which controls what elements are shown in the **mapping tree**, can be built from either an **XML document** or a DTD. The template is itself an ...

www.creativepro.com/story/feature/19878.html - 40k - [Cached](#) - [Similar pages](#) - [Note this](#)

Architecture

The model layer right below (DTD Tree Model, **Mapping Tree** Model, is an XML file describing the complete mapping from an **XML document** to Siena events. ...

www.plan.cs.colorado.edu/~hauswirt/SienaXML/architecture.html - 4k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Microsoft PowerPoint - WDIv33_XMLMapTips.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

XML document uses xsi:type attribute to override schema directly (not the **mapping tree**), so WDI will flag the data as an error if it contains more than ...

ftp://ftp.software.ibm.com/ps/products/dihost/pdf/WDIv33_XMLMapTips.pdf -

[Similar pages](#) - [Note this](#)

[PDF] Concepts and Workbench Reference

File Format: PDF/Adobe Acrobat - [View as HTML](#)

An element in a **mapping tree**. A container for the mapping type such as source **XML document**, for use with XSLT. XPath also provides basic ...

ftp://.../software/integration/wbibrokers/

docs/V5.0/messagebroker_Concepts_and_Workbench_Reference.pdf -

[Similar pages](#) - [Note this](#)

An XML Approach to Semantically Extract Data from HTML Tables

and a **mapping tree** v. m. Do: For each table tree child v. t. of v. c. call m = compare(v. m. , v. o. , v. t.); if m is complete, output **XML document** ...
www.springerlink.com/index/4lcj570vkd1p8bp0.pdf - [Similar pages](#) - [Note this](#)

A Data Model for Temporal XML Documents

Let us consider an example session of editing an **XML document** in Figure 1. ... for addressing parts of an **XML document**, designed to be used by both XSLT ...
www.springerlink.com/index/3XUPG8BQH5WP7PFF.pdf - [Similar pages](#) - [Note this](#)
[[More results from www.springerlink.com](#)]

Jitterbit Open Source Integration : Community : View topic - XML ...

Posted: Tue May 08, 2007 3:42 pm Post subject: **XML Document** Problem? ... are two or more nodes with the same name on the same level in the **mapping tree**. ...
www.jitterbit.com/PhpBB/viewtopic.php?t=539&highlight=&sid=dd36effb8a83d65bd2154c05f3248f65 - 45k -
[Cached](#) - [Similar pages](#) - [Note this](#)

Jitterbit 1.2 - Jitterwiki

(2007-04-19) * Fixed the problems of loading **XML document** with the schema containing ...
Fixed bug when undoing/redoin mapping changes in the **mapping tree**. ...
www.jitterbit.com/Wiki/index.php?title=Jitterbit_1.2 - 42k -
[Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.jitterbit.com](#)]

XML output definition table for transferring internal data into ...

A user terminal which generates said service request as an **XML document**; b. the preferred embodiment employs an element to source **mapping tree** through ...
www.patentgenius.com/patent/7158967.html - 107k - [Cached](#) - [Similar pages](#) - [Note this](#)

Step to define inputs for a service - Patent # 7099877 - PatentGenius

The method according to claim 2 wherein said **XML document** further comprises the preferred embodiment employs an element to source **mapping tree** through ...
www.patentgenius.com/patent/7099877.html - 114k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.patentgenius.com](#)]

Page 103

the query is internally stored as an **XML document**. ... Recall that illustration 3 shows a fragment of the **Mapping Tree** for the Emblem Book data- ...
www.digicult.info/downloads/html/8/8-103.html - 10k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Digital Collections and the Management of Knowledge: A DigiCULT ...

File Format: PDF/Adobe Acrobat
ed in a **Mapping Tree** for a relational database can have the relation and attribute names ...
the query is internally stored as an **XML document**. ...
www.digicult.info/downloads/dc_emblemsbook_lowres.pdf - [Similar pages](#) - [Note this](#)

Re: XML Parsing the Ruby way.

An XML infoset or an XML DOM implementation may be a tree, but an **XML document** > is a big string. Or an array of characters. XML itself is about markup ...
blade.nagaokaut.ac.jp/cgi-bin/scat.rb/ruby/ruby-talk/70262?help-en - 11k -
[Cached](#) - [Similar pages](#) - [Note this](#)

Re: XML Parsing the Ruby way.

An XML infoset or an XML DOM implementation may be a tree, but an **XML document** is a big string. Or an array of characters. XML itself is about markup syntax ...
blade.nagaokaut.ac.jp/cgi-bin/scat.rb/ruby/ruby-talk/70229?help-en - 11k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[XML-SIG] dumping an XML parser skeleton from DTD input

FromXmlFile(sys.argv[1]) > > This is a program that can read an **XML document** and build

a tree of > objects. The tree of objects is stored in a variable ...
mail.python.org/pipermail/xml-sig/2001-March/004823.html - 7k -
[Cached](#) - [Similar pages](#) - [Note this](#)

Glossary of terms and abbreviations

(2) An element in a message **mapping tree**. See tree node. designed to uniquely identify or address parts of a source **XML document**, for use with XSLT. ...
publib.boulder.ibm.com/infocenter/wmbhelp/v6r0m0/topic/com.ibm.etools.mft.doc/ax99997_.htm - 84k -
[Cached](#) - [Similar pages](#) - [Note this](#)

tree construction in data structure - Results By Free Computer ...

... datastructure: map : find corresponding entry for page in **mapping tree** DSSSL, in XSL the conceptual model of formatting an **XML document** is that of ...
www.edcomp.com/results/tree+construction+in+data+structure.html - 50k -
[Cached](#) - [Similar pages](#) - [Note this](#)

US 7143104 B1 Converter for XML document type definition to ...

Converter for **XML document** type definition to internal XML element **mapping tree**.
Thomas N. Turba, Roseville, Minn. (US). Assigned to Unisys Corporation, ...
0-www.uspto.gov/mill1.sjlibrary.org/web/patents/patog/week48/OG/html/1312-4/US07143104-20061128.html - 5k - [Cached](#) - [Similar pages](#) - [Note this](#)

Configuration - BioCASE Provider Software

... will be added to the **mapping tree** where you can add mappings to your database. ... that this node of the **XML document** is a candidate for being repeated. ...
www3.bgbm.org/bps2/Configuration - 69k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] A System for the Integrated Access to Digital Libraries

File Format: PDF/Adobe Acrobat - [View as HTML](#)
in a **Mapping Tree** has associated the expression necessary to access the Concept Tree, the query is being internally stored as an **XML document**. ...
rosalia.dc.fi.udc.es/lbd/..%5CPlainConsulta%5CArchivosAdministracion%5Cficheros_publicaciones%5CCASysforth... - [Similar pages](#) - [Note this](#)

BioCASE Provider Software documentation

... be added to the **mapping tree** where you can add mappings to your database. ... This symbol indicates that this node of the **XML document** is a candidate ...
https://kompass.mi.fu-berlin.de:44433/biocase/docs/configuration.html - 38k -
[Cached](#) - [Similar pages](#) - [Note this](#)

Chapter 8: Working with Databases using PHP and XML

This chapter also describes how to convert an **XML document** into an HTML format. ... You can query the contents of the **XML document** using a semi-structured ...
docs.hughr.org/documentations/service/ipx/LiB0023.html - 9k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Storage and Access Control Issues for XML Documents

File Format: PDF/Adobe Acrobat - [View as HTML](#)
The main advantage of using XML is that an **XML document** (differently from an HTML document) ... (supporting **XML document** repositories) are protected against ...
oswinds.csd.auth.gr/papers/idea03b.pdf - [Similar pages](#) - [Note this](#)

[PDF] XQuery Containment in Presence of Variable Binding Dependencies

File Format: PDF/Adobe Acrobat - [View as HTML](#)
For an **XML document** D, the dependencies among its In MIC **mapping, tree** homomor-. phism is checked between the encapsulated navigation pat- ...
www2005.org/cdrom/docs/p288.pdf - [Similar pages](#) - [Note this](#)

[PDF] XQuery Containment in Presence of Variable Binding Dependencies

File Format: PDF/Adobe Acrobat - [View as HTML](#)
XML document. In this case, the corresponding VarTree ... In MIC **mapping, tree**

http://www.google.com/search?num=100&hl=en&lr=&as_qdr=all&q=%22mapping+tree%22++%... 10/25/2007

homomor-. phism is checked between the encapsulated navigation pat- ...
davis.wpi.edu/dsrg/PROJECTS/XCACHE/f661-chen.pdf - [Similar pages](#) - [Note this](#)

[PDF] [Schemes to make Aries and XML work in harmony](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

XML document, because native XML database understands the structure of XML ...
Manager (for indexing XML tree), Tree Storage Manager (for **mapping tree** ...
www.cs.sjsu.edu/faculty/pollett/masters/Semesters/Spring04/An/CS297Report.pdf -
[Similar pages](#) - [Note this](#)

[kawa-javadoc-1.8-11.fc6.i386 RPM](#)

... /usr/share/javadoc/kawa-1.8/gnu/kawa/xml/**Document**.html /usr/share/javadoc/kawa-
1.8/gnu/**mapping/tree**.html /usr/share/javadoc/kawa-1.8/gnu/math ...
rpmfind.net/linux/RPM/fedora/extras/6/i386/kawa-javadoc-1.8-11.fc6.i386.html - 49k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[kawa-javadoc-1.9.1-1mdv2008.0.i586 RPM](#)

... /usr/share/javadoc/kawa-1.9.1/gnu/kawa/xml/**Document**-
uses.html /usr/share/javadoc/kawa-1.9.1/gnu/**mapping/tree**.html ...
rpmfind.net/linux/RPM/mandriva/2008.0/i586/media/contrib/release/kawa-javadoc-1.9.1-
1mdv2008.0.i586.html - 91k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from rpmfind.net](#)]

[PDF] [Structured Relational Views Using Multiquery Group By 1. Introduction](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

form editor or into an **XML document**. ... e.g., XQuery or XUpdate like, from, perhaps, a
tagged **mapping tree** on the view. Finally, the examples clearly only ...
ceria.dauphine.fr/Structured%20Relational%20Views.pdf - [Similar pages](#) - [Note this](#)

[PDF] [Querying Encrypted XML Documents](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of) hiding the attributes and elements of the **XML document** encryption of the **XML**
document, the content of the id node ...
www.ics.uci.edu/~rjammala/XMLDAS.pdf - [Similar pages](#) - [Note this](#)

[PS] [Approximate Tree Pattern Counts over Streaming Labeled Trees](#)

File Format: Adobe PostScript - [View as Text](#)

The use of Prufer sequence representation for **XML document** trees was first proposed in
the PRIX. system [29] for indexing and querying XML. ...
ftp://ftp.cs.arizona.edu/reports/2004/TR04-04.ps - [Similar pages](#) - [Note this](#)

[danbri's foaf stories » 2005 » July](#)

The XML schema is expressing some generalisations about **XML document** structures. ...
You can therefore validate an **XML document** against such schemas, ...
danbri.org/words/2005/07 - 57k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PPT] [www.cse.ust.hk/~wilfred/lecture_slides/XMLbasic.ppt](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

<red/>; an **XML document**: single root element. 7. The Role of XML Data WebDB 00];
Structured-based approach; **Mapping tree** to relations ...
[Similar pages](#) - [Note this](#)

[doc] [Subtyping in XML Schema](#)

File Format: Microsoft Word - [View as HTML](#)

Similarly another application of type assignment where unique type assignment might have
some advantages is in design of **XML document** editors that allow us ...
web.cs.wpi.edu/~mmani/xml/datamodels/subtyping/subtyping.doc - [Similar pages](#) - [Note this](#)

[IBM Globalization - Terminology - terms M and N](#)

See manageability interface. managed resource prototype: An **XML document** that
(14) An element in a message **mapping tree**. (15) A shape in a diagram. ...
www-306.ibm.com/software/globalization/terminology/mn.jsp - 368k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Publication Categorizer on Schema Evolution - Sch. Matching/Mapping

... and analyze the maintainability of the **mapping tree**. Refinement of Correspondences in EXSMAL for **XML Document** Transformation ...

se-pubs.dbs.uni-leipzig.de/taxonomy/term/3/9/feed - 455k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Publication Categorizer on Schema Evolution - 2004-2005

http://se-pubs.dbs.uni-leipzig.de/taxonomy/term/33/9 en http://se-pubs.dbs.uni-leipzig.de/node/228 <div class="flexinode-body flexinode-1"><div ...

se-pubs.dbs.uni-leipzig.de/taxonomy/term/33/9/feed - 250k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Ndadde URLPick Page

That is, I wanted to create an automated system whereby any **XML document** that ...

Essentially, I wanted to be able to view the **XML document** in a browser and ...

www.ndadde.be/AppellSch/Reken/index.cfm?StartingFolder=janStuff%5CTreeview%5C -

18k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PS] University of Alberta Library Release Form Name of Author: Huaxin ...

File Format: Adobe PostScript - [View as Text](#)

inter-intra **XML document** queries. It is different from SQL language in that it is The difficulty of **mapping tree**-structured data into RDBMS suggests a ...

www.cs.ualberta.ca/TechReports/2001/TR01-15/TR01-15.ps.gz - [Similar pages](#) - [Note this](#)

ComparaGrid - Archives for: 2007

... in the context of a gene node walked to in the '**mapping**' tree? object model of a mapping rule into a **XML document** that corresponds to the sort of ...

metagenome.ncl.ac.uk/blog/index.php?m=2007 - 227k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] SketchTree: Approximate Tree Pattern Counts over Streaming Labeled ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Prufer sequence representation for **XML document** trees was. first proposed in the PRIX system [26] for indexing and query-. ing XML. ...

www.cs.arizona.edu/people/bkmoon/papers/icde06sketch.pdf - [Similar pages](#) - [Note this](#)

Sophie: castor-javadoc-1.0.5-1mdv2007.1.x86_64.rpm

Class: **XML document** text Class: **XML document** text. -rw-r--r-- root root

5305 /usr/share/javadoc/castor-1.0.5/org/castor/**mapping/tree**.html ...

sophie.zarb.org/rpm/current,x86_64/castor-javadoc - 250k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Similarity-based XML Query System Design

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Document tree: The tree structure of one **XML document**; ... The query pattern is a parsed **XML document** tree that has. multiple tags. ...

icare.eas.asu.edu/~qyan/Course/Spring_2005/Doc/Project4CSE515_FinalReport.pdf -

[Similar pages](#) - [Note this](#)

eCots - EsTerra

"Native XML storage" can store an **XML document** "as is". Since it can store without mapping the tree structure of a **XML document** on tables, such as an RDB ...

www.ecots.org/display.jsp?id=d_37863&cids=c_1511 - 40k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Best publications Helena-Ahonen-Myka 1. Helena Ahonen. Finding All ...

Antoine Doucet, Lili Aunimo, Miro Lehtonen and Renaud Petit, "Accurate Retrieval of **XML Document** Fragments using EXTIRP" in Proceedings of the Second Annual ...

www.cs.helsinki.fi/u/linden/administration/research_evaluation05/publications/short_list.txt -

36k - [Cached](#) - [Similar pages](#) - [Note this](#)

FDK Results

Accurate Retrieval of **XML Document** Fragments using EXTIRP. INEX 2003 : Proceedings of the Second Annual Workshop of the Initiative for the Evaluation of XML ...
www.cs.helsinki.fi/research/fdk/results.html - 140k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.cs.helsinki.fi](#)]

(WO/2005/038620) WEB BROWSER AS WEB SERVICE SERVER

This is because an **XML document** uses plain ASCII text that can be ... The servlet is also operable to send the **XML document** to the computer network via the ...
www.wipo.int/pctdb/en/wo.jsp?IA=WO2005038620&DISPLAY=DESC - 132k -
[Cached](#) - [Similar pages](#) - [Note this](#)

Proceedings of Extreme Markup Languages®

The functions given after the tag or tag list are executed on the DOM tree representation of the HTML or **XML document**. More precisely, they manipulate the ...
www.idealliance.org/papers/extreme/proceedings/html/2002/Schaefer01/EML2002Schaefer01.html - 95k -
[Cached](#) - [Similar pages](#) - [Note this](#)

Sun Java Enterprise System Glossary

mapping tree (n.) A data structure that associates the names of suffixes style sheets to transfer one form of an **XML document** to another XML form. ...
docs.sun.com/source/816-6873/index.html - 472k - [Cached](#) - [Similar pages](#) - [Note this](#)

Sun Java Enterprise System Glossary- [Translate this page]

In an **XML document**, text that is ignored unless the parser is specifically **mapping tree**. (n.) A data structure that associates the names of suffixes ...
docs.sun.com/app/docs/doc/819-3875/gejfq?l=zh_tw&a=view - 460k -
[Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from docs.sun.com](#)]

Method and apparatus for querying structured documents using a ...

7143104, Converter for **XML document** type definition to internal XML element **mapping tree**, 2006-11-28. 7143346, Simple types in XML schema complex types ...
6366934.findthatpatent.com/ - 58k - [Cached](#) - [Similar pages](#) - [Note this](#)

Similarity Evaluation on Tree-structured Data

Similarity Evaluation on Tree-structured Data. Rui Yang. Panos Kalnis. Anthony KH Tung.
+. School of Computing. National University of Singapore ...
portal.acm.org/ft_gateway.cfm?id=1066243&type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=... - [Similar pages](#) - [Note this](#)

Indexing Useful Structural Patterns for XML Query Processing

XML document. In phase two, we run Apriori on the summaries to quickly generate a set of large candidate frequent structures. ...
ieeexplore.ieee.org/iel5/69/30889/01432707.pdf?arnumber=1432707 -
[Similar pages](#) - [Note this](#)

Efficient Pattern Discovery for Semistructured Data

XML document can be modeled as a DOM tree. Frequent pattern mining is an important category of data mining tasks. The recurring patterns found during the ...
ieeexplore.ieee.org/iel5/10447/33171/01562952.pdf?tp=&isnumber=&arnumber=1562952 -
[Similar pages](#) - [Note this](#)

Optical disk device

Converter for **XML document** type definition to internal XML element **mapping tree**
Retractable screen system and improvements therefor ...
patents.bmhm.com/Optical_disk_device,7038987.html - [Similar pages](#) - [Note this](#)

Grease gun

Converter for **XML document** type definition to internal XML element **mapping tree** PMOS

device having a layered silicon gate for improved silicide integrity ...
patents.bmhm.com/Grease_gun,7004357.html - [Similar pages](#) - [Note this](#)

[PDF] BeTrIS—An Index System for MPEG-7 Streams

File Format: PDF/Adobe Acrobat - [View as HTML](#)

An **XML document** such as an MPEG-7 description contains structured data, that is, ...
vantage of the structure of an **XML document**. Examples of ...
www.hindawi.com/GetPDF.aspx?doi=10.1155/ASP/2006/15482 - [Similar pages](#) - [Note this](#)

[PDF] Semantic Caching for XML Queries

File Format: PDF/Adobe Acrobat - [View as HTML](#)

An **XML document** can be modeled as an ordered tree composed of ... The **XML Document** Type Definition (DTD) can be seen as the schema definition ...
www.wpi.edu/Pubs/ETD/Available/etd-0129104-174457/unrestricted/lichen.pdf -
[Similar pages](#) - [Note this](#)

Patent Database Search Results: CCL/"707/E17.125" in US Patent ...

6, 7143104, Converter for **XML document** type definition to internal XML element **mapping tree**. 7, 7124135, Step to access native script in a legacy database ...
www.snake.ne.jp/~yama/nph-docomo.cgi/010000A/http/patft.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&p=1... - 31k - [Cached](#) - [Similar pages](#) - [Note this](#)

UCSB Directory Project | Glossary

mapping tree (n.) A data structure that associates the names of suffixes (subtrees An **XML document** has to be formatted before it can be read, and the ...
directoryproject.isc.ucsb.edu/dir-glossary.html - 302k - [Cached](#) - [Similar pages](#) - [Note this](#)

專利檢索專利引證分析 - [Translate this page]

07143104, Converter for **XML document** type definition to internal XML element **mapping tree**, 20061128, 看內容, 中心. 07143081, Automated abstract database ...
www.patentexpress.com.tw/uspapp/patent-search/patent-citation-analysis.aspx?Patent_number=06421656 - 77k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] BeTrIS---an index system for MPEG---7 Streamspdfauthor

File Format: PDF/Adobe Acrobat - [View as HTML](#)

dependent parts of the **XML document**. ... An **XML document** such as an MPEG-7 description contains structured data, that is, ...
vantage of the structure of an **XML document**. Examples of ...
www.fim.uni-passau.de/uploads/media/2005-0169-AKHK_03.pdf - [Similar pages](#) - [Note this](#)

Indexing Useful Structural Patterns for XML Query Processing

In phase one, we scan the data to derive an edge-based summary (signature) of each **XML document**. In phase two, we run Apriori on the summaries to quickly ...
doi.ieeecomputersociety.org/10.1109/TKDE.2005.110 - [Similar pages](#) - [Note this](#)

XStreamDB Reference Guide

Creates a new **XML document** complete with a declaration and a document type.
Below is a **mapping tree** that maps all of the XStreamDB types to atomic ...
www.bluestream.com/xdbres/Content/website/bds/home/products/xstreamdb32/doc/reference/reference.htm - 445k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] PART A RESEARCH REPORT

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of every **XML document** to search. In this case a NXD will traverse right down to the ... For example, queries on recipients within an email **XML document** ...
eprints.otago.ac.nz/323/02/AnneWilliamsOCR.pdf - [Similar pages](#) - [Note this](#)

[PDF] SemaForm: Semantic Wrapper Generation for Querying Deep Web Data ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

tive than a typical **XML document**, however they still have a hierarchical structure (see section 3.4). In particular, it is ...

www.ucalgary.ca/~jkwalny/502/finalreport.pdf - [Similar pages](#) - [Note this](#)

[ims_dssetup.pl fail -- Please check the user/group suffix ...](#)

... under "cn=**mapping tree**, cn=config". at ims_dssetup.pl line 941. servlet.destroy();

Invalid **XML document**; UTC UTP Task.cfg file Configuration ...

www.codefund.com/502/ims-dssetup.pl-fail-please-check-the-usergroup-suffix-5024296.shtm - 22k - [Cached](#) - [Similar pages](#) - [Note this](#)

[netscapereplicastate,Directory Servers,Web & Directory Servers ...](#)

... it in cn=ReplicationAgreementName,cn="dc=example,dc=com",cn=**mapping tree**,cn=config ... ldap password expiry; servlet.destroy(); Invalid **XML document** ...

www.codefund.com/502/netscapereplicastate-5024298.shtm - 14k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[kawa-javadoc-1.8-5mdv2007.0.i586 RPM](#)

... /usr/share/javadoc/kawa-1.8/gnu/kawa/xml/DescendantOrSelfAxis.

html /usr/share/javadoc/kawa-1.8/gnu/kawa/**xml/Document**.html ...

rpms.mandrivaclub.com/.../devell/cooker/i586/media/contrib/release/kawa-javadoc-1.8-5mdv2007.0.i586.html - 47k - [Cached](#) - [Similar pages](#) - [Note this](#)

[RPM Search](#)

[/usr/share/javadoc/kawa-1.8/gnu/kawa/xml/Document.html](#) [/usr/share/javadoc/kawa-1.8/gnu/kawa/xml/DocumentConstructor.html](#) ...

rpm.pbone.net/index.php3/stat/6/idpl/4533980 - 56k - [Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] Microsoft PowerPoint - XDBMS-27-06.ppt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

representation of an **XML document**: ordered, labeled tree. with nodes of type element, attribute, ... in combination with **XML document** representation and ...

www.lgis.informatik.uni-kl.de/.../courses/

[ADE/SS2006/Vorlesungsunterlagen/ADE.Chapter.05.XDBMS.pdf](#) - [Similar pages](#) - [Note this](#)

[Index \(Pounamu v1.0 API Specification\)](#)

LoadXMLFile: parsing the xml file into **xml document**; getDynamicMenu() - Method in class pounamu.core.Pounamu: get the dynamic menu ...

www.cs.auckland.ac.nz/Nikau/marama/archive/pounamu/api/index-all.html - 250k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[DiplomarbeitModel-based Merging of Source Code](#)

File Format: Unrecognized - [View as HTML](#)

Model-based Merging of Source Code. Wolfgang Klier. Diplomarbeit. Technische Universität München. Institut für Informatik. Software & Systems Engineering ...

dav.informatik.tu-muenchen.de/.../download.php?

[filename=a_2005_08_08_Marschall_thesis.pdf&archiv=1](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] SunJavaSystemDirectoryServer EnterpriseEdition6.1Migration Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This includes configuration entries for the **mapping tree**, replicas, The exported **XML document** contains the directory deployment topology and enough ...

ftp://docs-pdf.sun.com/820-0379/820-0379.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\] Sun Java System Directory Server 5 2004Q2 Deployment Planning Guide](#)

File Format: PDF/Adobe Acrobat

eXtensible Markup Language (**XML**) **document**. DSMLv2 standardizes the way list, these DNs are also stored in the **mapping tree** entries below cn=config ...

ftp://docs-pdf.sun.com/817-5218/817-5218.pdf - [Similar pages](#) - [Note this](#)

[[More results from ftp://docs-pdf.sun.com](#)]

[\[PDF\] PARTTHE](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

or the element and attribute names defined for an **XML document**. type. I. A finite set of non-terminal symbols N. As the name says, these symbols will ...

http://www.google.com/search?num=100&hl=en&lr=&as_qdr=all&q=%22mapping+tree%22++%... 10/25/2007

books.elsevier.com/us/bookscat/samples/9781558608160/9781558608160.pdf?

mscssid=3NGWE388S - [Similar pages](#) - [Note this](#)

kawa-javadoc-1.8-11.fc6.i386

/usr/share/javadoc/kawa-1.8/gnu/kawa/xml/Document.html. /usr/share/javadoc/kawa-1.8/gnu/kawa/xml/DocumentConstructor.html ...

rpm.kanarip.com/cache/packages/k/kawa-javadoc-1.8-11.fc6.i386.html - 183k -

[Cached](#) - [Similar pages](#) - [Note this](#)

/ChangeLog - settroubleshoot - Trac

872, build **xml document** for arguments and intelligently import dom tree. 873, when an arg is xml. On the receiving side it unpacks the xml and ...

[https://hosted.fedoraproject.org/projects/settroubleshoot/browser/ChangeLog?rev=416%](https://hosted.fedoraproject.org/projects/settroubleshoot/browser/ChangeLog?rev=416%3A5b2131621b0a)

3A5b2131621b0a - 137k - [Cached](#) - [Similar pages](#) - [Note this](#)

/ChangeLog - settroubleshoot - Trac

938, build **xml document** for arguments and intelligently import dom tree. 939, when an arg is xml. On the receiving side it unpacks the xml and ...

[https://hosted.fedoraproject.org/projects/settroubleshoot/browser/ChangeLog?rev=448%](https://hosted.fedoraproject.org/projects/settroubleshoot/browser/ChangeLog?rev=448%3Afc7c4ba6635)

3Afc7c4ba6635 - 146k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from https://hosted.fedoraproject.org](https://hosted.fedoraproject.org)]

Vehicular indicator lamp

Converter for **XML document** type definition to internal XML element **mapping tree** Method and apparatus for image registration ...

6364514.findthatpatent.com/ - [Similar pages](#) - [Note this](#)

Patentee Index

Turba, Thomas N.; to Unisys Corporation Converter for **XML document** type definition to internal XML element **mapping tree** 07143104 Cl. 707-102. ...

uspto.gov/web/patents/patog/week48/OG/patentee/alphaT_Utility.htm - 131k -

[Cached](#) - [Similar pages](#) - [Note this](#)

User Guide for Resource Manager Essentials 4.0 (With LMS 2.5 ...

A. On the ACS server, check if some role to task **mapping (tree)** has got on XML schema language which describes the structure of an **XML document**. ...

www.cisco.com/en/US/products/sw/cscowork/ps2073/products_user_guide_chapter09186a0080357718.html - 615k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Web Application Developer's Guide

File Format: PDF/Adobe Acrobat

The Servlet **Mapping tree** in the middle. contains URL patterns for exact matches. The JNLP file is an **XML document**. The elements in the file describe ...

portal.aauj.edu/portal_resources/downloads/programming/web_application_developers_guide.pdf -

[Similar pages](#) - [Note this](#)

[PDF] Unstructured Information Management Architecture (UIMA) SDK User's ...

File Format: PDF/Adobe Acrobat

Sofa mapping establishes a full **mapping tree** from the primitive component document. When UIMA parses the **XML document**, it will automatically replace ...

dl.alphaworks.ibm.com/technologies/uima/UIMA_SDK_Users_Guide_Reference.pdf -

[Similar pages](#) - [Note this](#)

Index (GATE JavaDoc)

Mapping Tree View extends JTree in order to represent the mapping information.

called when the SAX parser encounters the beginning of the **XML document**. ...

gate.ac.uk/releases/gate-3.1-build2270-ALL/doc/javadoc/index-all.html -

[Similar pages](#) - [Note this](#)

[PDF] Deployment Guide

File Format: PDF/Adobe Acrobat

http://www.google.com/search?num=100&hl=en&lr=&as_qdr=all&q=%22mapping+tree%22++%... 10/25/2007

- eXtensible Markup Language (XML) document. DSMLv2 standardizes the way list,
- these DNs are also stored in the mapping tree entries below. cn=config ...
www.filibeto.org/~aduritz/truetrue/sun-java-system/ds/816-6700-10.pdf -
[Similar pages](#) - [Note this](#)

1 2 **Next**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Mail](#) [more ▾](#)

[kuen_lu@hotmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

"mapping tree" "XML Document"

Search

[Advanced Search](#)
[Preferences](#)

Web

Personalized Results **101 - 111** of **111** for **"mapping tree" "XML Document"**. (0.28 seconds)

[PDF] [CYTED Ingeniería del Software en la Década del 2000 RI T O S 2](#)

File Format: PDF/Adobe Acrobat

database has a **Mapping Tree** that is used to translate the query to the Concept Tree, the query is being internally stored as an **XML document**. Depending ...
rosalia.dc.fi.udc.es/.../%5CPlainConsulta%5CArchivosAdministracion%5Cficheros_publicaciones%5C10.pdf - [Similar pages](#) - [Note this](#)

[Index \(GATE JavaDoc\)](#)

Gaze · MappingTreeView - Class in com.ontotext.gate.vr: **Mapping Tree** View extends
APFormatExporter: Returns the **xml document** conforming to APF dtd. ...
www.gate.ac.uk/releases/gate-4.0-build2752-ALL/doc/javadoc/index-all.html -
[Similar pages](#) - [Note this](#)

[PDF] [Siebel Developer's Reference](#)

File Format: PDF/Adobe Acrobat

... the SWE inserts an XML processing instruction in the beginning of the **XML document** **Mapping tree** applet maps onto views other than the view tree ...
download.oracle.com/docs/cd/B31104_01/books/PDF/ToolsDevRef.pdf -
[Similar pages](#) - [Note this](#)

[PDF] [S D ' R](#)

File Format: PDF/Adobe Acrobat

XML processing instruction in the beginning of the **XML document** for external
Mapping tree applet maps onto views other than view tree ...
download.oracle.com/docs/cd/E05554_01/books/PDF/ToolsDevRef.pdf -
[Similar pages](#) - [Note this](#)
[[More results from download.oracle.com](#)]

[VorteXML Designer From Datawatch Simplifies XML Schema Tasks ...](#)

Supports XSD schemas for loading into the **mapping tree** and. validation; ... The result is a compliant **XML document**, but without the unnecessary bloating." ...
calbears.findarticles.com/p/articles/mi_m0EIN/is_2004_March_9/ai_114055077 - 27k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[Converter for XML document type definition to internal XML element ...](#)

Converter for **XML document** type definition to internal XML element **mapping tree**, Get related patents on CD. United States Patent, 7143104 ...
www.wikipatents.com/7143104.html - 189k - [Cached](#) - [Similar pages](#) - [Note this](#)

[XML input definition table for transforming XML data to internal ...](#)

b. converting said **XML document** into an XML **mapping tree** in accordance with a Document Type Definition (DTD) corresponding to said **XML document** which ...
www.wikipatents.com/7013306.html - 199k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.wikipatents.com](#)]

[Fahrvergnügen 6 860 837](#)

Converter for **XML document** type definition to internal XML element **mapping tree** Method and system for determining angular crankshaft position prior to a ...
www.fahrvergnugen.net/6860837.html - [Similar pages](#) - [Note this](#)

[Fahrvergnügen 6 677 075](#)

Converter for **XML document** type definition to internal XML element **mapping tree**

Apparatus for smooth surface gypsum fiberboard panels ...
www.fahrvergnugen.net/6677075.html - [Similar pages](#) - [Note this](#)
[[More results from www.fahrvergnugen.net](#)]

Converter for XML document type definition to internal XML element ...

Converter for **XML document** type definition to internal XML element **mapping tree**.

Abstract. An apparatus for and method of accommodating an **XML document** ...

www.patentmonkey.com/PM/patentid/7143104.aspx - 169k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Method and apparatus for querying structured documents using a ...

... table for transferring internal data into **XML document**, December 21, 2001 ... for **XML**

document type definition to internal XML element **mapping tree** ...

www.patentmonkey.com/PM/relpatentid/6366934.aspx - 185k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from www.patentmonkey.com](#)]

In order to show you the most relevant results, we have omitted some entries very similar to the 111 already displayed.

If you like, you can repeat the search with the omitted results included.

[Previous](#) [1](#) [2](#)

"mapping tree" "XML Document "

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used:

mapping tree native command language script XML Document

Found 17 of 213,097

Sort results by

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results

[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 17 of 17

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Document Databases: Requirements for XML document database systems](#)



Airi Salminen, Frank Wm. Tompa

November 2001 **Proceedings of the 2001 ACM Symposium on Document engineering DocEng '01**

Publisher: ACM Press

Full text available: pdf(141.89 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The shift from SGML to XML has created new demands for managing structured documents. Many XML documents will be transient representations for the purpose of data exchange between different types of applications, but there will also be a need for effective means to manage persistent XML data as a database. In this paper we explore requirements for an XML database management system. The purpose of the paper is not to suggest a single type of system covering all necessary features. Instead the pur ...

Keywords: XML, XML database systems, data definition, data manipulation, data modelling, structured documents

2 [Database and digital library technologies: Bulkloading and maintaining XML documents](#)



Albrecht Schmidt, Martin Kersten

March 2002 **Proceedings of the 2002 ACM symposium on Applied computing SAC '02**

Publisher: ACM Press

Full text available: pdf(555.23 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The popularity of XML as a exchange and storage format brings about massive amounts of documents to be stored, maintained and analyzed --- a challenge that traditionally has been tackled with Database Management Systems (DBMS). To open up the content of XML documents to analysis with declarative query languages, efficient bulk loading techniques are necessary. Database technology has traditionally been offering support for these tasks but yet falls short of providing efficient automation techniqu ...

Keywords: XML, document databases, document warehouses, maintenance, relational databases


3 [Model-driven development of Web applications: the AutoWeb system](#)



Piero Fraternali, Paolo Paolini

October 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 4

Publisher: ACM Press

Full text available:  pdf(6.94 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes a methodology for the development of WWW applications and a tool environment specifically tailored for the methodology. The methodology and the development environment are based upon models and techniques already used in the hypermedia, information systems, and software engineering fields, adapted and blended in an original mix. The foundation of the proposal is the conceptual design of WWW applications, using HDM-lite, a notation for the specification of structure, nav ...

Keywords: HTML, WWW, application, development, intranet, modeling


4 Innovative Document Systems: The multivalent browser: a platform for new ideas



Thomas A. Phelps, Robert Wilensky

November 2001 **Proceedings of the 2001 ACM Symposium on Document engineering DocEng '01**

Publisher: ACM Press

Full text available:  pdf(188.51 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Multivalent Browser is built on a architecture that separates functionality from concrete document format. Almost all functionality is made available via relatively small modules of code called behaviors that programmers can write to extend the core system. Behaviors can be as significant and powerful as parser-renderers for scanned paper, HTML, or TeX DVI; as fine-grained as hyperlinks, cookies, and the disabling of menu items; and as innovative or uncommon as in situ annotations, "lenses", ...

Keywords: annotation, architecture, digital, document, multivalent behavior, paper, scanned

5 Resource and object management: An extensible mechanism for Long-Term



Persistence of JavaBeans components

Chien-Min Wang, Shun-Te Wang, Hsi-Min Chen, Chi-Chang Huang

August 2006 **Proceedings of the 4th international symposium on Principles and practice of programming in Java PPPJ '06**

Publisher: ACM Press

Full text available:  pdf(622.22 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Long Term Persistence for JavaBeans (LTP) is an API that supports a general mechanism for serializing JavaBeans into an XML-based text format and vice versa. As Java programming language does not currently support *orthogonal persistence*, a programmer can choose to convert the internal state of an application into a permanent storage and vice versa using the LTP API. In this paper, we propose a mechanism that is extensible and optional for LTP, without modifying the LTP specification, to m ...

Keywords: Java, JavaBeans, LTP, XML, cache, persistence, scripting, serialization

6 Customization 1: Automation and customization of rendered web pages



Michael Bolin, Matthew Webber, Philip Rha, Tom Wilson, Robert C. Miller

October 2005 **Proceedings of the 18th annual ACM symposium on User interface software and technology UIST '05**

Publisher: ACM Press

Full text available:  pdf(804.45 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

On the desktop, an application can expect to control its user interface down to the last pixel, but on the World Wide Web, a content provider has no control over how the client will view the page, once delivered to the browser. This creates an opportunity for end-

users who want to automate and customize their web experiences, but the growing complexity of web pages and standards prevents most users from realizing this opportunity. We describe Chickenfoot, a programming system embedded in the Fir ...

Keywords: web automation, web browsers

7 Flexible consistency checking



Christian Nentwich, Wolfgang Emmerich, Anthony Finkelstein, Ernst Ellmer
January 2003 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,
Volume 12 Issue 1

Publisher: ACM Press

Full text available: pdf(1.94 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The problem of managing the consistency of heterogeneous, distributed software engineering documents is central to the development of large and complex systems. We show how this problem can be addressed using xlinkit, a lightweight framework for consistency checking that leverages standard Internet technologies. xlinkit provides flexibility, strong diagnostics, and support for distribution and document heterogeneity. We use xlinkit in a comprehensive case study that demonstrates how design, impl ...

Keywords: CASE tools, consistency management, constraint checking, multiple perspectives

8 Code generation: Clearwater: extensible, flexible, modular code generation



Galen S. Swint, Calton Pu, Gueyoung Jung, Wenchang Yan, Younggyun Koh, Qinyi Wu, Charles Consel, Akhil Sahai, Koichi Moriyama
November 2005 **Proceedings of the 20th IEEE/ACM international Conference on Automated software engineering ASE '05**

Publisher: ACM Press

Full text available: pdf(236.62 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Distributed applications typically interact with a number of heterogeneous and autonomous components that evolve independently. Methodical development of such applications can benefit from approaches based on domain-specific languages (DSLs). However, the evolution and customization of heterogeneous components introduces significant challenges to accommodating the syntax and semantics of a DSL in addition to the heterogeneous platforms on which they must run. In this paper, we address the challenge ...

Keywords: AXpect, DSL, ISG, clearwater, code generation, infopipes

9 jRapture: A Capture/Replay tool for observation-based testing



John Steven, Pravir Chandra, Bob Fleck, Andy Podgurski
August 2000 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 2000 ACM SIGSOFT international symposium on Software testing and analysis ISSTA '00**, Volume 25 Issue 5

Publisher: ACM Press

Full text available: pdf(403.58 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We describe the design of jRapture: a tool for capturing and replaying Java program executions in the field. jRapture works with Java binaries (byte code) and any compliant implementation of the Java virtual machine. It employs a lightweight, transparent capture process that permits unobtrusive capture of a Java programs executions. jRapture captures interactions between a Java program and the system, including GUI, file, and console inputs, among other types, and on replay it presents each ...

Keywords: Java, capture/replay, execution profiling, observation-based testing, software

testing

10 Workshop on compositional software architectures: workshop report



May 1998 **ACM SIGSOFT Software Engineering Notes**, Volume 23 Issue 3

Publisher: ACM Press

Full text available: pdf(2.91 MB) Additional Information: [full citation](#), [index terms](#)



11 Usability and accessibility: Hearsay: enabling audio browsing on hypertext content



I. V. Ramakrishnan, Amanda Stent, Guizhen Yang

May 2004 **Proceedings of the 13th international conference on World Wide Web WWW '04**

Publisher: ACM Press

Full text available: pdf(974.86 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



In this paper we present HearSay, a system for browsing hypertext Web documents via audio. The HearSay system is based on our novel approach to automatically creating audio browsable content from hypertext Web documents. It combines two key technologies: (1) automatic partitioning of Web documents through tightly coupled structural and semantic analysis, which transforms raw HTML documents into semantic structures so as to facilitate audio browsing; and (2) VoiceXML, an already standardized tech ...

Keywords: HTML, VoiceXML, World Wide Web, audio browser, semantic analysis, structural analysis, user interface

12 XML: An XML transaction processing benchmark



Matthias Nicola, Irina Kogan, Berni Schiefer

June 2007 **Proceedings of the 2007 ACM SIGMOD international conference on Management of data SIGMOD '07**

Publisher: ACM Press

Full text available: pdf(241.73 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



XML database functionality has been emerging in "XML-only" databases as well as in the major relational database products. Yet, there is no industry standard XML database benchmark to evaluate alternative implementations. The research community has proposed several benchmarks which are all useful in their respective scope, such as evaluating XQuery processors. However, they do not aim to evaluate a database system in its entirety and do not represent all relevant characteristics of a real-wor ...

Keywords: SQL/XML, TPOX, XML, XQuery, benchmark, database

13 Manipulating OOo documents with Ruby

James Britt

March 2004 **Linux Journal**, Volume 2004 Issue 119

Publisher: Specialized Systems Consultants, Inc.

Full text available: html(24.17 KB) Additional Information: [full citation](#), [abstract](#)



XML and Ruby let your scripts and your office suite handle thesame files.

14 E-Design Based on the Reuse Paradigm

L. Ghanmi, A. Ghrab, M. Hamdoun, B. Missaoui, K. Skiba, G. Saucier

March 2002 **Proceedings of the conference on Design, automation and test in Europe DATE '02**

Publisher: IEEE Computer Society



Full text available:  [pdf\(244.78 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#)

This paper gives an overview on a Virtual electronic component or IP (Intellectual Property) exchange infrastructure whose main components are a XML "well structured IP e-catalog Builder" and a XML IP profiler. While the first module is for publishing and an exchange management module the second has as role to extract from the design directories the IP files and to trigger their transfer to the user site possibly via an IP distribution server under the catalog control. Direct Design file extraction from ...

15 [Posters & demos: DHTML accessibility: solving the JavaScript accessibility problem](#)



Becky Gibson, Richard Schwerdtfeger

October 2005 **Proceedings of the 7th international ACM SIGACCESS conference on Computers and accessibility Assets '05**

Publisher: ACM Press

Full text available:  [pdf\(152.61 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This project demonstrates fully keyboard accessible components on a web page working with a screen reader. By adding the appropriate semantic data to web components and having user agents translate this to the platform accessibility application programming interfaces, the user interface of a web site can be made fully accessible to keyboard only and vision impaired users. In addition, the web component interface will operate in the same manner as client application components.

Keywords: DHTML, HTML, JavaScript, accessibility

16 [Introducing vector graphics and inkscape](#)

Marco Fioretti

July 2007 **Linux Journal**, Volume 2007 Issue 159

Publisher: Specialized Systems Consultants, Inc.

Full text available:  [html\(124.43 KB\)](#) Additional Information: [full citation](#), [abstract](#)

Want scalable beauty?

17 [Link services or link agents?](#)



L. A. Carr, W. Hall, S. Hitchcock

May 1998 **Proceedings of the ninth ACM conference on Hypertext and hypermedia : links, objects, time and space---structure in hypermedia systems: links, objects, time and space---structure in hypermedia systems HYPERTEXT '98**

Publisher: ACM Press

Full text available:  [pdf\(1.59 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 17 of 17

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((native<in>metadata) <and> (command <in>metadata))<and> (language<in>me

Your search matched 9 of 1676180 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

[e-mail](#) [printer friendly](#)

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

((native<in>metadata) <and> (command <in>metadata))<and> (language<in>me [Search](#)

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#) [Select All](#) [Deselect All](#)

- ☐ 1. **The effect of Lotus v. Borland or ... "Whose program is it anyway?"**
 Detkin, P.N.;
[Compcon Spring '94, Digest of Papers.](#)
 28 Feb.-4 March 1994 Page(s):356 - 359
 Digital Object Identifier 10.1109/CMPCON.1994.282906
[AbstractPlus](#) | Full Text: [PDF](#)(184 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Parameterizing Menu Based Natural Language Interfaces with Location Models**
 Neumeier, K.; Thompson, C.;
[Integration of Knowledge Intensive Multi-Agent Systems, 2007. KIMAS 2007. International Conference on](#)
 April 30 2007-May 3 2007 Page(s):236 - 240
 Digital Object Identifier 10.1109/KIMAS.2007.369815
[AbstractPlus](#) | Full Text: [PDF](#)(4983 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Use of COTS XML and Web technology for current and future C2 systems**
 Molitoris, J.J.;
[Military Communications Conference, 2003. MILCOM 2003. IEEE](#)
 Volume 1, 13-16 Oct. 2003 Page(s):221 - 226 Vol.1
 Digital Object Identifier 10.1109/MILCOM.2003.1290106
[AbstractPlus](#) | Full Text: [PDF](#)(1564 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Remote-control experiment research for CSTR system using CMAC in the LAN**
 Pang Wen Yao; Luo Xiaoping; Jiang Jingping;
[TENCON '02. Proceedings. 2002 IEEE Region 10 Conference on Computers, Communications, Control and Power Engineering](#)
 Volume 3, 28-31 Oct. 2002 Page(s):1676 - 1679 vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(286 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Control of two industrial robots for parts mating**
 Caccavale, F.; Natale, C.; Siciliano, B.; Villani, L.;
[Control Applications, 1998. Proceedings of the 1998 IEEE International Conference on](#)
 Volume 1, 1-4 Sept. 1998 Page(s):562 - 566 vol.1
 Digital Object Identifier 10.1109/CCA.1998.728532
[AbstractPlus](#) | Full Text: [PDF](#)(516 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. A three-layer workcell control architecture design**
Bouzouia, B.; Guerroumi, F.; Boukhezar, A.;
Robotics and Automation, 1998. Proceedings. 1998 IEEE International Conference on
Volume 2, 16-20 May 1998 Page(s):1185 - 1191 vol.2
Digital Object Identifier 10.1109/ROBOT.1998.677254
[AbstractPlus](#) | Full Text: [PDF\(548 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **7. Voice across Hispanic America: a telephone speech corpus of American Spanish**
Muthusamy, Y.; Holliman, E.; Wheatley, B.; Picone, J.; Godfrey, J.;
Acoustics, Speech, and Signal Processing, 1995. ICASSP-95., 1995 International Conference
on
Volume 1, 9-12 May 1995 Page(s):85 - 88 vol.1
Digital Object Identifier 10.1109/ICASSP.1995.479279
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **8. Rapid prototyping ATE software with CASE**
Bennett, M.J.; Gannon, D.M.; Haas, R.A.; Halinski, M.J.;
AUTOTESTCON '92. IEEE Systems Readiness Technology Conference, Conference Record
21-24 Sept. 1992 Page(s):105 - 111
Digital Object Identifier 10.1109/AUTEST.1992.270126
[AbstractPlus](#) | Full Text: [PDF\(432 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **9. Distributed object programming environment for smart card application development**
Chan, A.T.S.; Tse, F.; Jiannong Cao; Hong Va Leong;
Distributed Objects and Applications, 2001. DOA '01. Proceedings. 3rd International Symposium
on
17-20 Sept. 2001 Page(s):251 - 259
Digital Object Identifier 10.1109/DOA.2001.954090
[AbstractPlus](#) | Full Text: [PDF\(744 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Sitemap](#) | [Help](#)

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "((mapping tree native command language script xml document)<in>metadata)"

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail printer friendly

» Search Options[View Session History](#)[New Search](#)**Modify Search****Search** ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**» Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Indexed by
 Inspect[®][Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((mapping<in>metadata) <and> (tree<in>metadata))<and> (xml<in>m..."

Your search matched 19 of 1676180 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((mapping<in>metadata) <and> (tree<in>metadata))<and> (xml<in>metadata)

Search ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract
 [Select All](#) [Deselect All](#)

- ☐ 1. **A storage and retrieval model based on XML for semi-structured information**
Li Gao; He-Ping Chen; Jin-Guang Gu; Jing-Cun Wang; Hong-Ping Fang; Xiao-Hui Li;
[Machine Learning and Cybernetics, 2005. Proceedings of 2005 International Conference on](#)
Volume 1, 18-21 Aug. 2005 Page(s):33 - 38 Vol. 1
Digital Object Identifier 10.1109/ICMLC.2005.1526915
[AbstractPlus](#) | Full Text: [PDF](#)(296 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Relationally Mapping XML Queries For Scalable XML Search**
Cathey, Rebecca J.; Beitzel, Steven M.; Jensen, Eric C.; Grossman, David; Frieder, Ophir;
[Intelligence and Security Informatics, 2007 IEEE](#)
23-24 May 2007 Page(s):378 - 378
Digital Object Identifier 10.1109/ISI.2007.379524
[AbstractPlus](#) | Full Text: [PDF](#)(115 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **From XML schema to relations: a cost-based approach to XML storage**
Bohannon, P.; Freire, J.; Roy, P.; Simeon, J.;
[Data Engineering, 2002. Proceedings. 18th International Conference on](#)
26 Feb.-1 March 2002 Page(s):64 - 75
Digital Object Identifier 10.1109/ICDE.2002.994698
[AbstractPlus](#) | Full Text: [PDF](#)(413 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **A Two Layered Approach for Querying Integrated XML Sources**
Silveira, Felipe Victolla; Heuser, Carlos A.;
[Database Engineering and Applications Symposium, 2007. IDEAS 2007. 11th International](#)
6-8 Sept. 2007 Page(s):3 - 11
Digital Object Identifier 10.1109/IDEAS.2007.4318083
[AbstractPlus](#) | Full Text: [PDF](#)(593 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Fast Frequent Free Tree Mining in Graph Databases**
Peixiang Zhao; Yu, J.X.;
[Data Mining Workshops, 2006. ICDM Workshops 2006. Sixth IEEE International Conference on](#)
Dec. 2006 Page(s):315 - 319
Digital Object Identifier 10.1109/ICDMW.2006.79
[AbstractPlus](#) | Full Text: [PDF](#)(221 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 6. **Incremental Mining of Frequent Query Patterns from XML Queries for Caching**

Guoliang Li; Jianhua Feng; Jianyong Wang; Yong Zhang; Lizhu Zhou;
Data Mining, 2006. ICDM '06. Sixth International Conference on
Dec. 2006 Page(s):350 - 361
Digital Object Identifier 10.1109/ICDM.2006.88
[AbstractPlus](#) | Full Text: [PDF](#)(435 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **7. A Novel Multimedia Database System for Efficient Image/Video Retrieval Based on Hybrid-Tree Structure**
Jing Chen; Jia-Lie Shen; Jian Zhang; Wangsa, K.;
Machine Learning and Cybernetics, 2006 International Conference on
Aug. 2006 Page(s):4353 - 4358
Digital Object Identifier 10.1109/ICMLC.2006.259084
[AbstractPlus](#) | Full Text: [PDF](#)(232 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **8. A Self-Organising Map Approach for Clustering of XML Documents**
Trentini, F.; Hagenbuchner, M.; Sperduti, A.; Scarselli, F.; Tsoi, A.C.;
Neural Networks, 2006. IJCNN '06. International Joint Conference on
16-21 July 2006 Page(s):1805 - 1812
[AbstractPlus](#) | Full Text: [PDF](#)(400 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **9. A study on user data management for SIP-based IMPP services**
IlJin Lee; Wook Hyun; ShinGak Kang;
Advanced Communication Technology, 2006. ICAC 2006. The 8th International Conference
Volume 3, 20-22 Feb. 2006 Page(s):4 pp.
[AbstractPlus](#) | Full Text: [PDF](#)(3352 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **10. A Formal Model of XML Schema**
Novak, L.; Zamulin, A.;
Data Engineering Workshops, 2005. 21st International Conference on
05-08 April 2005 Page(s):1283 - 1283
Digital Object Identifier 10.1109/ICDE.2005.162
[AbstractPlus](#) | Full Text: [PDF](#)(392 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **11. A Mapping Scheme of XML Documents into Relational Databases using Schema-based Path Identifiers**
Fujimoto, K.; Dao Dinh Kha; Yoshikawa, M.; Amagasa, T.;
Web Information Retrieval and Integration, 2005. WIRI '05. Proceedings. International Workshop on Challenges in
08-09 April 2005 Page(s):82 - 90
Digital Object Identifier 10.1109/WIRI.2005.4
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **12. Order-Sensitive XML Query Processing over Relational Sources: An Algebraic Approach**
Ling Wang; Song Wang; Murphy, B.; Rundensteiner, E.A.;
Database Engineering and Application Symposium, 2005. IDEAS 2005. 9th International
25-27 July 2005 Page(s):175 - 184
Digital Object Identifier 10.1109/IDEAS.2005.40
[AbstractPlus](#) | Full Text: [PDF](#)(336 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **13. Translating content-based authorizations for XML documents**
Chatvichienchai, S.; Iwaihara, M.; Kambayashi, Y.;
Web Information Systems Engineering, 2003. WISE 2003. Proceedings of the Fourth International Conference on
10-12 Dec. 2003 Page(s):103 - 112
Digital Object Identifier 10.1109/WISE.2003.1254474
[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) [IEEE CNF](#)

[Rights and Permissions](#)

- ☐ **14. Towards XML oriented internet management**
Strauss, F.; Klie, T.;
[Integrated Network Management, 2003. IFIP/IEEE Eighth International Symposium on 24-28 March 2003](#) Page(s):505 - 518
[AbstractPlus](#) | Full Text: [PDF\(641 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **15. Mapping between ASN.1 and XML**
Imamura, T.; Maruyama, H.;
[Applications and the Internet, 2001. Proceedings. 2001 Symposium on 8-12 Jan. 2001](#) Page(s):57 - 64
Digital Object Identifier 10.1109/SAINT.2001.905168
[AbstractPlus](#) | Full Text: [PDF\(552 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **16. Visual interaction with XML metadata**
Geroimenko, V.; Geroimenko, L.;
[Information Visualisation, 2001. Proceedings. Fifth International Conference on 25-27 July 2001](#) Page(s):539 - 545
Digital Object Identifier 10.1109/IV.2001.942108
[AbstractPlus](#) | Full Text: [PDF\(924 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **17. Capturing XML constraints with relational schema**
Yunsheng Liu; Hao Zhong; Yi Wang;
[Computer and Information Technology, 2004. CIT '04. The Fourth International Conference on 14-16 Sept. 2004](#) Page(s):309 - 314
Digital Object Identifier 10.1109/CIT.2004.1357213
[AbstractPlus](#) | Full Text: [PDF\(271 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **18. Automatic mapping from XML documents to ontologies**
Lu Xiao; Liang Zhang; Guang'an Huang; Baile Shi;
[Computer and Information Technology, 2004. CIT '04. The Fourth International Conference on 14-16 Sept. 2004](#) Page(s):321 - 325
Digital Object Identifier 10.1109/CIT.2004.1357215
[AbstractPlus](#) | Full Text: [PDF\(255 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **19. A machine learning approach to rapid development of XML mapping queries**
Morishima, A.; Kitagawa, H.; Matsumoto, A.;
[Data Engineering, 2004. Proceedings. 20th International Conference on 30 March-2 April 2004](#) Page(s):276 - 287
Digital Object Identifier 10.1109/ICDE.2004.1320004
[AbstractPlus](#) | Full Text: [PDF\(425 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

EAST Search History

10/029,146

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"20020073399" or "6604135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:48
L2	2	"20020073399" or "67320695".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:49
L3	4	"20020073399" or "6732095".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:49
L4	0	((conver\$5 or transform\$5 or transl\$4) with (XML adj doc\$5) with (map\$4 with tree)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:31
L5	2	((conver\$5 or transform\$5 or transl\$4) with (XML adj doc\$5) same (map\$4 with tree)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:32
L6	3	((conver\$5 or transform\$5 or transl\$4) same (XML adj doc\$5) same (map\$4 with tree)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:32
L7	61	((conver\$5 or transform\$5 or transl\$4) same (XML adj doc\$5)) and (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:32
L8	0	((conver\$5 or transform\$5 or transl\$4) same (XML adj doc\$5)) and (map\$4 with tree) and @ad < "20011221" and (language with develop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:33

EAST Search History

L9	2	((conver\$5 or transform\$5 or transl\$4) same (XML adj doc\$5)) and (map\$4 with tree) and @ad < "20011221" and (language same develop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:33
L10	7	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L11	4	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L12	7	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L13	190	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L14	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L15	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L16	19	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L17	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L18	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L19	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L20	4	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L21	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L22	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L23	1858	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L24	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L25	593	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L26	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L27	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L28	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L29	42	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L30	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L31	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L32	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L33	2	conver\$5 with (XML adj doc\$5) with (map\$4) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L34	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L35	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L36	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L37	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L38	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L39	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L40	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L41	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L42	9	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L43	5	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L44	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L45	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L46	3	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L47	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L48	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L49	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L50	27	conver\$5 with (XML adj doc\$5) with (map\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L51	34	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L52	33	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L53	16	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L54	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L55	16	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L56	34	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L57	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L58	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L59	27	conver\$5 with (XML adj doc\$5) with (map\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L60	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L61	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L62	3	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L63	5	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L64	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L65	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L66	42	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L67	4	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L68	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L69	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L70	7	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L71	4	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L72	2	conver\$5 with (XML adj doc\$5) with (map\$4) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L73	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L74	9	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L75	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L76	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L77	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L78	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L79	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L80	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L81	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L82	593	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L83	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L84	1858	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L85	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L86	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L87	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L88	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L89	19	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L90	190	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L91	7	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L92	3	(XML with embedded with SQL with query with database) and @ad < "20010801" and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L93	33	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L94	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L95	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L96	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L97	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L98	4	("6732095" or "66014135").pn. or "20020073399"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L99	3	"6604135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L100	0	"66014135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L101	3	"20020112150"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L102	5	"20030187847" or "5550975".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L103	2	"6055494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L104	7	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L105	4	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L106	7	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L107	190	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L108	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L109	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L110	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L111	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L112	19	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L113	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L114	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L115	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L116	4	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L117	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L118	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L119	1858	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L120	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L121	593	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L122	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L123	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L124	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L125	42	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L126	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L127	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L128	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L129	2	conver\$5 with (XML adj doc\$5) with (map\$4) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L130	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L131	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L132	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L133	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L134	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L135	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L136	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L137	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L138	9	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L139	5	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L140	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L141	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L142	3	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L143	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L144	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L145	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L146	34	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L147	16	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L148	27	conver\$5 with (XML adj doc\$5) with (map\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L149	34	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L150	33	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L151	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L152	16	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L153	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L154	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L155	27	conver\$5 with (XML adj doc\$5) with (map\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L156	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L157	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L158	3	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L159	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L160	5	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L161	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L162	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L163	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L164	42	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L165	4	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L166	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L167	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L168	7	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L169	4	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L170	2	conver\$5 with (XML adj doc\$5) with (map\$4) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L171	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L172	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L173	9	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L174	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L175	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L176	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L177	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L178	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L179	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L180	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L181	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L182	593	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L183	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L184	1858	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L185	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L186	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L187	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L188	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L189	19	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L190	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L191	190	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L192	7	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L193	3	(XML with embedded with SQL with query with database) and @ad < "20010801" and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L194	33	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

L195	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L196	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L197	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L198	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L199	4	("6732095" or "66014135").pn. or "20020073399"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L200	3	"6604135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L201	0	"66014135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L202	3	"20020112150"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36

EAST Search History

L203	5	"20030187847" or "5550975".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L204	2	"6055494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 17:36
L205	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and (categoriz\$4 with service with language with developed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L206	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and ((categoriz\$4 with service)and (language with developed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L207	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and ((categoriz\$4 with service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L208	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and ((categoriz\$4 or classif\$4) with service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L209	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and ((categoriz\$4 or classif\$4) with (services or programs))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L210	0	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221" and (mapping with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36
L211	6	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221" and mapping and actions and controls and attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:36

EAST Search History

S2	6	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:04
S3	3	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:12
S4	0	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:13
S5	108	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:13
S7	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:59
S10	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:51
S11	16	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:07
S12	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:14
S13	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:14
S14	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:15

EAST Search History

S15	3	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:22
S16	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:23
S17	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:23
S18	1727	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:23
S19	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:27
S20	421	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:28
S21	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:28
S22	75	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:28
S23	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:28
S25	32	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:09

EAST Search History

S26	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 11:21
S27	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 11:21
S28	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 11:21
S30	1	conver\$5 with (XML adj doc\$5) with (map\$4) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:43
S31	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:34
S32	4	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:49
S33	4	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:49
S34	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:10
S35	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:10
S36	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:12

EAST Search History

S37	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:12
S38	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:12
S39	7	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:19
S41	4	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:34
S42	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 12:14
S43	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:39
S44	2	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:01
S45	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:02
S46	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 12:14
S47	77	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:18

EAST Search History

S48	24	conver\$5 with (XML adj doc\$5) with (map\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:18
S49	33	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:19
S50	32	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:20
S51	14	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:21
S52	87	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:21
S53	3	(XML with embedded with SQL with query with database) and @ad < "20010801" and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S54	7	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S55	4	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S56	3	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S57	162	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05

EAST Search History

S58	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S61	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S62	17	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S63	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S64	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S65	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S66	4	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S67	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S68	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S69	1787	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05

EAST Search History

S70	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S71	478	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S72	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S73	87	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S74	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S75	37	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S76	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S77	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 17:30
S78	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S79	1	conver\$5 with (XML adj doc\$5) with (map\$4) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05

EAST Search History

S80	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S83	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S84	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S85	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S86	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S87	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S88	8	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S89	4	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S90	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S91	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05

EAST Search History

S92	3	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S93	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S94	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S96	24	conver\$5 with (XML adj doc\$5) with (map\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S97	33	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S98	32	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S99	14	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S10 0	87	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S10 1	4	("6732095" or "66014135").pn. or "20020073399"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 16:31

EAST Search History

S10 2	0	"66014135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 16:32
S10 3	3	"6604135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 08:00
S10 4	3	"20020112150"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 09:18
S10 5	5	"20030187847" or "5550975".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 09:05
S10 6	2	"6055494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 10:38
S11 4	7	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S11 5	4	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S11 6	7	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S11 7	190	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S11 8	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S11 9	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 0	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 1	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 2	19	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 3	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 4	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 5	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 6	4	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S12 7	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 8	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S12 9	1858	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 0	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 1	591	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 2	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 3	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 4	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 5	42	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 6	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S13 7	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 8	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S13 9	2	conver\$5 with (XML adj doc\$5) with (map\$4) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 0	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 1	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 2	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 3	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 4	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 5	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 6	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S14 7	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 8	9	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S14 9	5	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 0	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 1	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 2	3	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 3	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 4	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 5	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 6	27	conver\$5 with (XML adj doc\$5) with (map\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S15 7	33	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 8	33	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S15 9	16	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 0	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 1	16	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 2	33	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 3	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 4	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 5	27	conver\$5 with (XML adj doc\$5) with (map\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 6	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S16 7	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 8	3	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S16 9	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S17 0	5	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S17 1	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S17 2	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S17 3	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S17 4	42	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:37
S17 5	4	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S17 6	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S17 7	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S17 8	7	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S17 9	4	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 0	2	conver\$5 with (XML adj doc\$5) with (map\$4) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 1	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 2	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 3	9	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 4	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 5	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 6	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S18 7	13	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 8	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S18 9	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 0	104	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 1	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 2	591	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 3	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 4	1858	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 5	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 6	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S19 7	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 8	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S19 9	19	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 0	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 1	190	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 2	7	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 3	3	(XML with embedded with SQL with query with database) and @ad < "20010801" and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 4	33	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 5	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 6	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43

EAST Search History

S20 7	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 8	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 15:43
S20 9	4	("6732095" or "66014135").pn. or "20020073399"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/22 15:43
S21 0	3	"6604135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/22 15:43
S21 1	0	"66014135".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/22 15:43
S21 2	3	"20020112150"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/22 15:43
S21 3	5	"20030187847" or "5550975".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/25 16:43

EAST Search History

S21 4	2	"6055494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/22 15:43
S21 5	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and (categoriz\$4 with service with language with developed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:34
S21 6	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and ((categoriz\$4 with service)and (language with developed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:35
S21 7	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and ((categoriz\$4 with service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:35
S21 8	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and ((categoriz\$4 or classif\$4) with service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:36
S21 9	0	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221" and ((categoriz\$4 or classif\$4) with (services or programs))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:36
S22 0	0	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221" and (mapping with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:37
S22 1	6	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221" and mapping and actions and controls and attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 17:38